

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 / TB-500 - 10mg

Tested for: Quill Peptides
quillpeptides.com

COA #: COA-2026-MJSOQ4
Lot Number: QP-2608-011
Labeled Content: 10mg
Volume: 3mL

Analysis Date: 09/01/2026
Appearance: Good
Volume: 3mL
Date Received: 08/19/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: NWVY7D9P

Method: Blend Purity, Identity & Quantitation (HPLC), Endotoxin (USP <85>)

Identity

BPC-157 / TB-500

Peptide Purity

99.75%




Blend Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.75%	%	PASS
Identity (HPLC-RTM)	BPC-157 + TB-500	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



BPC-157 / TB-500 10mg -
QP-2608-011

HPLC Chromatogram



BPC-157 / TB-500 10mg - QP-2608-011: UV Chromatogram

Additional Tests

Analyte	Specification	Result	Unit	Status
Net Blend Peptide Content	Report Only	10.68	mg	N/A
-- BPC-157		5.45	mg	
-- TB-500		5.23	mg	

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	NMT 5 EU/mL	0.072 EU/mL	PASS

Acceptance criteria: NMT 5 EU/mL per client specification.

Notes & Methodology

- 1. Date Tested: 09/01/2026. Methods: Blend Purity, Identity & Quantitation (HPLC); Additional Tests.
- 2. The sample was confirmed to be BPC-157 / TB-500 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- 3. Endotoxin tested per USP <85> kinetic chromogenic method. Acceptance criteria per client specification.
- 4. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- 5. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (BPC-157, TB-500). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.
- 6. Accreditation Scope: ILS Laboratories maintains ISO/IEC 17025 accreditation for activities listed in its published PJLA scope. Peptide testing reported on this certificate is performed for Research Use Only.
- 7. This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Issued by ILS Laboratories
(619) 329-3999
ils-lab.com

Dr. Greg Kalyuzhny
Lab Director
9/1/2026

COA #: COA-2026-MJSOQ4
Access Code: NWVY7D9P
Verify: portal.ils-lab.com
Issued: 9/1/2026